

MISSOURI DEPARTMENT OF NATURAL RESOURCES
MISSOURI OIL AND GAS COUNCIL
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

APPLICATION		LL	☐ DEEPEN	☐ PLU	JG BACK		FOR AN OIL		Y OR GAS WELL			
PENSE BI		25.	RILLING	Co. T	vc.			11/20	196			
Box 551 - EDESCRIPTION					ERICK	TOW)	N	MO	63645			
HONSIN				DEVELOP	2-A Sus	PLEN	MENTAL	958 (
	20	240	FT. FROM (N)		792	FEE	T FROM (E) 🖅 S					
E/2 LOTI OF NE/4 5			5	43N	43N 33 U9				CASS			
UISTANCE FROM PI	TOPOSED LO	CATION		ILLING, COMPLET	ED OR APPLIE	ROTARY	FEET R WELL ON THE S OR CABLE TOOLS ARY (AIR)	SAME LEASE 2	14/05 FEE			
192.92	Vet	NUMN	ER OF ABANDON	LEASE, INCLUDIN	O THIS WELL,			LING TO THIS R	ESERVOIR 8			
HELEASE PURCHASED WITH ONE OR MORE WELLS DRILLED, I									NO OF WELLS: PRODUCING 4 INJECTION 6 INACTIVE			
OF MAINS OF LINES	I ATOS OF BOND			SINGLE WELL AMOUNT \$			LANKET BON MOUNT \$ 20					
PROPOSED CASI	NG PROGRA	A.M		N/A	APPROVED	CARIN	IO - TO BE E	I ED IN DV e	TATE GEOLOGIST			
лмоии г	SIZE		W1/FT	CEM.	AMOUNT		SIZE	WT/FT	CEM.			
50'	7"		19.5 LBS	TO SURF.	50'		7"		SURFACE-TD			
TD TO SUK FACE	4 /2"		10.5 LBS	TO SURF.	To SupFAC	E	4/2 "		SURFACE -TD			
I the undersigne	d, state tha	tlam	the ASS'T.	v. P.			of the Peuse	BROS. DRL	G. Ca. INC.			
and direction and	d that the fa	icis si	red by said con aled therein are DRLS. Co., I other	true, correct,	this report, and complet	and the	at this report w	ras prepared	under my supervision 12 L - 8/18/96 196			
20625 ADDITION TO BE TO				OCORE A SAMPLE SAMPLE	DRILLER'S LOG REQUIRED CORE ANALYSIS REQUIRED IF RUN SAMPLES REQUIRED SAMPLES NOT REQUIRED WATER SAMPLES REQUIRED AT							
NOTE IIIIS	PERMIT NOT	TRANS	FERABLE TO ANY	OTHER PERSON	OR TO ANY OT	HER LO	CATION	101 50 10	196			
WELL NOR ENDORS	PERMIT BY	THE O	L AND GAS COU	NCIL DOES NOT	CONSTITUTE	NDORS	EMENT OF THE	GEOLOGIC MEI	Council			
that an approved in this form by p	d drilling presence of	ermit a pern	has been obta nit,number and	of the ined by the or signature of au	wner of this uthorized cou	well. uncil re	Council appro		Company confirm permit will be shown			
				Unacount and								



MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL

SEP 2 7 1996 rm OGC-5

MISSOURI OIL AND GAS COUNCIL	
WELL COMPLETION OF DECOMPLETION DEPORT AND WELL LO	C

MO Oil & Gas Council

NEW WELL OW	ORKOVER DEEPEN	PLUG BACK	INJECTION	SAMÉ	RESERV	OIR DIFFE	RENT RES	SERVOIR	P OIL	□ GAS □	DRY	
OWNER	2	A : Resymptomos	ma i	ADDRESS	<u>.</u> . –	, MC		/	, -	2/1/-	enta	
PENSE BROT	HERS DRILLIN	G Co. , INC		DOX 5.	51, TK	REDERICA	(100)	V,MO	63	643		
MICHAEL	HONSINGER			12-	A	·	PX	1	Tay L		AND D	
LOCATION Elas	115/11	A STREET	SEC. TWP. AND RANGE OR 5 T 43N, /			1						
E/20FLOT/OF	PERMIT NU	MBER (OGC-3 OR OGC-34	+			13,17	3/1,	1 200	~			
CASS		20625								V because a		
8/18/96	8/20	196	TED READY TO SELEVATION FEET 939			139 GY (TOPO) ELEVATION OF FLANGE			NOF CASING H	HD FEET		
TOTAL DEPTH	PLUG BAC	TOTAL DEPTH		/								
2 90	ION INTERVAL(S) FOR THE	S COMPLETION		I ROTARY TO	OLS USED	(INTERVAL)	- ^	To	ABLE TO	OLS USED (IN	TERVAL	
235.	,)	ROTARY TOOLS USED (INTERVAL) TO DRILLING FLUID USED AIR *			D.		,	NA			
WAS THIS WELL DIRECT		TIONAL SURVEY MADE?	WAS COPY OF DIRECTIONAL SURVE						FILED			
No		NO	N/A					N/A ATE FILED				
	A4 - NEUTR	(1)		# 1.7h	1.10	/	,		,	5/96		
(SAMIMA I)	49-11-4116	ON (TERPOIEM		GRECORD	OLUG	9 000	-		1/-	1		
CASING (REPORT AL	L STRINGS SET IN WEL				PRODU	CING, ETC.)					ч	
PURPOSE	SIZE HOLE DRILLED	SIZE CASING SET	WEIGH	T (LB. FT)	ĎE	PTH SET	SACK	S CEMEN	T	AMOUNT PU	LLED	
SURFACE	8%	7"	19	9.5		63"	6			NIL		
PRUD. STRING	6/4"	4/2"		,5 2		85	42			NIL		
, , , , , , , , , , , , , , , , , , , ,												
	TUBING RECO	RD				L	INER REC	ORD				
SIZE 3/	The second secon	CKER SET AT SIZE	1/2	TOP		ВОТТОМ	SA	CKS CEME	NT 1	SCREEN		
2/8 IN.	PERFORATION RE	CORD FEET	/// INCH	A/A	FEET	SHOT EDACT	FEET	ENT SOLL	EE7E DE	CORD	FEET	
					ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD AMOUNT AND KIND OF							
NUMBER PER FEET	SIZE AND TYPE	DEPTH INTERVAL		MATERIAL USED			DEPTHINTERVA			NTERVAL		
2	3/8" DML-HSC	235.5 - 24	14.0	(15% HC)-250GAL 3000 LB 10/20SAND			/ 1	// '				
	2000					B 8/12 SAND 235.5 - 244.0						
			INITIAL P	RODUCTION	N					v		
DATE OF FIRST PRODUC	TION OR INJECTION	PRODUCING METHOD (IN	NDICATE IF FL	/			UMPING, SH	HOW SIZE A	ND TYPE	/		
DATE OF TEST HOU	RS TESTED CHOKE SIZ	YUMPING ()	2 X 4	GAS PRODU			UP NO 10	RODUCED D	TO /2	OIL GRAVITY)	
- / /	24 NIL	TEST 6	bbls.	GAS PRODU	CEU DUN	2 MCF	TEST	05		-		
TUBING PRESSURE	CASING PRESSURE	CAL'TED RATE OF PRODU PER 24 HOURS		OIL	Ť	GAS	WATER	00	0013	GAS OIL RAT	10	
75+m	20 685			6	bbls.	2 MCF		05	bbls.	333-	. 1	
1/	TATE WHETHER VENTED, I	JSED FOR FUEL OR SOLD)									
METHOD OF DISPOSAL	OF MUD PIT CONTENTS	CATTIANAS DAII	11 111 2	2) TO B	F DI	FOFILIFD	11/174	Topcor	1 J P	SEF.DE I)	
CERTIFICATE: I, THE L	AIR ROTARY -	TIAM THE ASSIS	TANT	VICE- P	RES.	DENT		10,000	770-		OF THE	
7	S. DRLG. Co.	AND DIRECTION AND THE				HORIZED BY SA					VLEDGE	
DATE	UNDER MY SUPERVISION											
9/25	1	71.	ENSE	K) K 03.	WK.	LG. Co	1-1	1				
1/23/	14	254	188	3 BJ	lans	cett	ASS	7. V.	P.			
MO 780-0215 (1-86)						/				(Rev 1-86)	

SURF. CSG. ~50'08" 6 SACKS CEMENT

HONSINGER # 9 PENSE BROS. DRLG. SEC 5-43-33 CASS CO., MO 8/20/86

PERMIT #20625

6-5 TOPSOIL-BROWN SANDY LOAM

5-8 CLAY- TAN TO LIGHT REDUSH BROWN

8- 15 LIMESTONE & SHALE STRIATIONS

30-45 LIMESTONE, BUFF TO TAN

45-52 SHALE, DARK GREY - SLIGHT COAL SEAM W LENDERCLAY

52-74 LIMESTONE, DEIUSE, BUFF TO WHITE

74-80 SHALE, VARIEBATED, GREY TO DARK GREY

80-90 SHALY LIMESTONE W SAWD

90-92 SHULE, GREY TO DARK GREY

92-102 SILTSTONE, SHALY TO SHALE, SANDY, GREY TO DARK GREY

102-120 SHALY SILTSTONE, GREY TO LIGHT GREY

120-230 SHALE, GREY TO BLUE GREY, SOME SLIGHTLY CARBONACEOUS

230-234 VARIEGATED SHALE, BLACK TO DARK GREY, SLIGHT COAL Show

234-250 SANDSTONE, TAN TO BROWN, SOME WELL ROUNDED, MOSTLY SUB-ANGULAR. GOOD FLUORESCENCE, STAINING,

CUT, + GAS + OIL EVIDENTEPIT FROM 234' Thru 245'

250-280 SHALE, GREY TO LIGHT GREY


280-290 LIMESTONE.

TD-2901

IECEIV = []

SEP 2 7 1996

MO Oil & Gas Council



W. C. LETHCHO **COUNTY ENGINEER & SURVEYOR Bates County Court House BUTLER, MO. 64730** Phone 679-4031


WELL REFERENCE TIES IN THE EAST HALF OF LOT 1 OF THE NORTHEAST QUARTER OF SECTION 5, TOWNSHIP 43 NORTH, RANGE 33 WEST OF THE 5TH PRINCIPAL MERIDIAN IN CASS COUNTY, MISSOURI.

NORTH 1"=100'

FOR: PENSE BROTHERS DRILLING CO., INC.

ADRIAN, MO 64720 816-297-4433

MAG BRGS 8º EAST DECL.



THIS IS TO CERTIFY THESE TIES ARE IN ACCORDANCE WITH CURRENT MINIMUM STANDARDS.

10-14-96 WILLIAM C. LETHCHD LS-1539

111

NORTH WELL LOCATION MAP - CASS COUNTY TAX MAP 16-03 ECEIT NOV 2 6 1996 1"=400' ± MO Oil & Gas Council ROAD SECTION LINE 5-43-33 HONSINGER WELL #12A WILLIAM C. LETHCHO LS-1539 10-14-96

